

L Number	Hits	Search Text	DB	Time stamp
1	3	"3869632"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/02/11 15:31
2	0	3869632.URPN.	USPAT	2004/02/11 15:30
3	3	("2972078"   "3270239"   "3732454").PN.	USPAT	2004/02/11 15:30
4	3	"5374828"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/02/11 15:32
5	9	"5703372"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/02/11 15:39
6	2320	(250/427,426,424,423R).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/02/11 15:40
7	111	button near cathode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/02/11 16:10
10	0	"5374828" and collar	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/02/11 15:58
9	4	((button near cathode) and electron and plasma) and ((electron near4 heat\$4) or (indirect\$4 near heat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/02/11 15:58
8	10	(button near cathode) and electron and plasma	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/02/11 15:46
11	13	(button near cathode) and ((electron near4 heat\$4) or (indirect\$4 near heat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/02/11 15:57
12	2	((button near cathode) and ((electron near4 heat\$4) or (indirect\$4 near heat\$4))) and collar	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/02/11 15:57
13	24	((250/427,426,424,423R).CCLS.) and collar	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/02/11 15:58
14	8	((250/427,426,424,423R).CCLS.) and collar) and ((electron near4 heat\$4) or (indirect\$4 near heat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/02/11 16:02
15	6	((250/427,426,424,423R).CCLS.) and collar) and ((electron near4 heat\$4) or (indirect\$4 near heat\$4))) and cathode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/02/11 16:02

16	1	((((250/427,426,424,423R).CCLS.) and collar) and ((electron near4 heat\$4) or (indirect\$4 near heat\$4))) and (button near (cathode or member))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:14
17	1	(((((250/427,426,424,423R).CCLS.) and collar) and ((electron near4 heat\$4) or (indirect\$4 near heat\$4))) and cathode) and (slug or plug)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:09
18	1	(button near cathode) and ((first and second) near4 (work adj function))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:11
19	5	(button near cathode) and ((first and second) near4 (material))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:12
20	3	(button near cathode) and ((250/427,426,424,423R).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:12
21	63	collar and (slug or plug) and (button near (cathode or member))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:15
22	12	(collar and (slug or plug) and (button near (cathode or member))) and cathode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:15

L Number	Hits	Search Text	DB	Time stamp
1	3	collar and (slug or plug) and cathode and (indirect\$4 near heat\$3 near cathode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/11 16:44